

EPPO

Reporting

Service

Paris, 1996-12-01

Reporting Service 1996, No. 12

CONTENTS

- | | |
|---------------|---|
| 96/225 | - EPPO Reporting Service Index |
| 96/226 | - Directory of Plant Protection Services of EPPO Member Countries |

EPPO Reporting Service

96/225 EPPO Reporting Service Index

The following index covers all Reporting Service articles from 1996-01-01 to 1996-12-31.

Acrobasis pirivorella

96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

Acroptilon repens

96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds

Agrius mali

96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

Albania

96/074 - Phytosanitary situation of fruit crops in Albania

Aleurodicus dispersus

96/031 - Citrus whiteflies in Spain

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

Alternaria mali

96/128 - First report of Alternaria mali in Yugoslavia

96/129 - EPPO Distribution List for Alternaria mali

96/201 - Additions and deletions to the EPPO A1 and A2 quarantine lists

Ambrosia artemisiifolia, A. psilostachya, A. trifida

96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds

Anastrepha fraterculus

96/066 - Development of traps for Ceratitis capitata and Anastrepha ludens

96/087 - New data on pests of quarantine importance

96/092 - Anastrepha species trapped in tropical orchards in Mexico

Anastrepha ludens

96/027 - Anastrepha ludens trapped in California (US)

96/066 - Development of traps for Ceratitis capitata and Anastrepha ludens

96/092 - Anastrepha species trapped in tropical orchards in Mexico

Anastrepha obliqua

96/066 - Development of traps for Ceratitis capitata and Anastrepha ludens

96/092 - Anastrepha species trapped in tropical orchards in Mexico

96/125 - New data on pests and diseases of quarantine importance

Anastrepha striata

96/066 - Development of traps for Ceratitis capitata and Anastrepha ludens

96/092 - Anastrepha species trapped in tropical orchards in Mexico

Anastrepha serpentina

EPPO Reporting Service

- 96/066 - Development of traps for Ceratitis capitata and Anastrepha ludens
96/092 - Anastrepha species trapped in tropical orchards in Mexico

Andean potato latent tymovirus

- 96/098 - First report of Andean potato latent tymovirus in Ullucus tuberosus

Andean strain of potato S carlavirus

- 96/035 - Specific ELISA detection of the Andean strain of potato S carlavirus

Anoplophora chinensis

- 96/156 - Control of Anoplophora chinensis in China

Anoplophora glabripennis

- 96/214 - Introduction of Anoplophora glabripennis in New York State (US)

Anoplophora malasiaca

- 96/118 - Biology of Anoplophora malasiaca

Anthonomus quadrigibbus, A. signatus

- 96/209 - Details on the geographical distribution of beetles of quarantine importance in Canada and Alaska

Aonidiella aurantii, A. citrina

- 96/079 - Resistance of Aonidiella aurantii and A. citrina to organophosphates and carbamates

Aphelenchoides besseyi

- 96/076 - Radopholus similis and Aphelenchoides besseyi detected in Italy
96/088 - Information of pests and diseases of quarantine importance in Slovakia

Apiosporina morbosa

- 96/119 - Control of Apiosporina morbosa

APPPC

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

Arabis mosaic nepovirus

- 96/094 - Detection of arabis mosaic nepovirus in Austria

Arceuthobium americanum

- 96/097 - First report of Arceuthobium americanum on Abies lasiocarpa

Artioposthia triangulata

- 96/042 - Potential spread of Artioposthia triangulata (New Zealand flatworm) and Australoplana sanguinea var. alba to continental Europe

Arrhenodes minutus

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

EPPO Reporting Service

Australia

- 96/043 - New data on diseases of quarantine importance
96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/204 - New data on pests and diseases of plant quarantine importance

Australopiana sanguinea var. *alba*

- 96/042 - Potential spread of *Artioposthia triangulata* (New Zealand flatworm) and *Australopiana sanguinea* var. *alba* to continental Europe

Austria

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
96/094 - Detection of arabis mosaic nepovirus in Austria
96/095 - Survey on grapevine viruses in Canada
96/175 - Recent studies on peach latent mosaic viroid

Bactrocera carambolae

- 96/063 - Situation of *Bactrocera carambolae* in Suriname, Guyana and French Guiana

Bactrocera cucurbitae

- 96/056 - Quarantine treatment to control *Ceratitis capitata*, *Bactrocera cucurbitae* and *B. dorsalis* in papaya
96/057 - Quarantine treatment to control *Ceratitis capitata*, *Bactrocera cucurbitae* and *B. dorsalis* in carambola
96/065 - Geographical distribution of *Bactrocera cucurbitae* and *Dacus ciliatus*
96/067 - EPPO Distribution List of *Bactrocera cucurbitae*
96/087 - New data on pests of quarantine importance
96/204 - New data on pests and diseases of plant quarantine importance

Bactrocera dorsalis

- 96/026 - *Bactrocera dorsalis* trapped in California and Florida (US)
96/056 - Quarantine treatment to control *Ceratitis capitata*, *Bactrocera cucurbitae* and *B. dorsalis* in papaya
96/057 - Quarantine treatment to control *Ceratitis capitata*, *Bactrocera cucurbitae* and *B. dorsalis* in carambola
96/087 - New data on pests of quarantine importance
96/204 - New data on pests and diseases of plant quarantine importance

Bactrocera minax

- 96/117 - Gamma irradiation of *Bactrocera minax* larvae

Bactrocera papayae

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/116 - *Bactrocera papayae* and *B. tryoni* trapped in New Zealand

Bactrocera tryoni

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/116 - *Bactrocera papayae* and *B. tryoni* trapped in New Zealand

Barley stripe mosaic hordeivirus

- 96/043 - New data on diseases of quarantine importance

EPPO Reporting Service

96/088 - Information of pests and diseases of quarantine importance in Slovakia

Barley yellows

96/173 - New virus disease of barley in Switzerland

Bean golden mosaic geminivirus

96/195 - New and detailed records for Brazil

Beet curly top geminivirus

96/151 - Beet curly top geminivirus is present on *Capsicum annuum* in Oregon (US)

96/152 - Weeds naturally infected by beet curly top geminivirus

Beet leaf curl rhabovirus

96/088 - Information of pests and diseases of quarantine importance in Slovakia (eradicated)

Beet necrotic yellow vein furovirus

96/010 - Situation of beet necrotic yellow vein furovirus in Hungary

Belgium

96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region

96/183 - Absence of *Burkholderia (Pseudomonas) solanacearum* in Belgium

Bemisia tabaci

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

96/088 - Information of pests and diseases of quarantine importance in Slovakia

96/112 - First report of tomato yellow leaf curl geminivirus and *Bemisia tabaci* in Portugal

96/125 - New data on pests and diseases of quarantine importance

Bemisia tabaci biotype B

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

96/053 - *Bemisia tabaci* biotype B in the Pacific region

96/170 - Chlorotic streak of *Capsicum annuum*: new disorder induced by *Bemisia tabaci* biotype B

Benin

96/125 - New data on pests and diseases of quarantine importance

Bermuda

96/125 - New data on pests and diseases of quarantine importance

Biological control

96/140 - Potential of *Orius sauteri* as a biocontrol agent against *Thrips palmi*

Biology

96/058 - Survival of *Ceratocystis fimbriata* var. *platani* in the soil

96/072 - Studies on transmission of blue-stain fungi by *Ips pini*

96/077 - Effects of host plants and temperature on the development of *Thrips palmi*

96/080 - Studies on the biology of *Unaspis citri*

96/118 - Biology of *Anoplophora malasiaca*

96/139 - Studies on seed-transmission of *Pantoea (Erwinia) stewartii* subsp. *stewartii*

96/152 - Weeds naturally infected by beet curly top geminivirus

EPPO Reporting Service

- 96/155** - Studies on development rate of *Diabrotica barberi*
- 96/170** - Chlorotic streak of *Capsicum annuum*: new disorder induced by *Bemisia tabaci* biotype B
- 96/174** - Further studies on the non-transmission of plum pox potyvirus by pollen and seed
- 96/190** - Spatial distribution of *Synchytrium endobioticum* in the soil
- 96/191** - Wind dispersal of resting spores of *Synchytrium endobioticum*
- 96/192** - *Synchytrium endobioticum* spores transported by car
- 96/198** - Tospoviruses and thrips
- 96/199** - Transmissibility of *Bursaphelenchus xylophilus* from wood chips to *Pinus* seedlings and stumps
- 96/217** - Studies on traps and attractants for *Ceratitis capitata*
- 96/218** - Overwintering of *Ceratitis capitata* in Northern Greece
- 96/219** - Genetic studies on *Fusarium oxysporum* f. sp. *albedinis*

Brazil

- 96/043** - New data on diseases of quarantine importance
- 96/055** - Tomato spotted wilt tospovirus causes a serious disease of chickpea (*Cicer arietinum*) in Brazil
- 96/082** - Chrysanthemum stem necrosis possibly due to a new tospovirus
- 96/087** - New data on pests of quarantine importance
- 96/091** - First report of *Thrips palmi* in Brazil
- 96/169** - First report of *Xylella fastidiosa* in coffee
- 96/175** - Recent studies on peach latent mosaic viroid
- 96/195** - New and detailed records for Brazil
- 96/196** - Situation of *Xylella fastidiosa* in Brazil
- 96/197** - Occurrence of *Heterodera glycines* in the State of São Paulo (BR)

Bulgaria

- 96/002** - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region

Burkholderia caryophylli

- 96/043** - New data on diseases of quarantine importance
- 96/086** - Name changes for bacteria

Burkholderia solanacearum

- 96/001** - *Burkholderia (Pseudomonas) solanacearum* found again in the Netherlands
- 96/002** - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
- 96/022** - Situation of *Burkholderia (Pseudomonas) solanacearum* in France and Portugal
- 96/044** - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
- 96/086** - Name changes for bacteria
- 96/090** - Situation of *Burkholderia (Pseudomonas) solanacearum* in Cyprus and Morocco
- 96/182** - Situation of *Burkholderia (Pseudomonas) solanacearum* in the Netherlands
- 96/183** - Absence of *Burkholderia (Pseudomonas) solanacearum* in Belgium
- 96/184** - EPPO Distribution List for *Burkholderia solanacearum*
- 96/195** - New and detailed records for Brazil

Bursaphelenchus xylophilus

- 96/045** - Differentiation of three *Bursaphelenchus* species by RAPD-PCR
- 96/168** - First report of *Bursaphelenchus xylophilus* in Oregon (US)
- 96/199** - Transmissibility of *Bursaphelenchus xylophilus* from wood chips to *Pinus* seedlings and stumps
- 96/208** - Situation of *Bursaphelenchus xylophilus* and *Monochamus alternatus* in Korea Republic

EPPO Reporting Service

Cacoecimorpha pronubana

96/212 - Cacoecimorpha pronubana found on Pinus halepensis in Spain

Cameraria ohridella

96/211 - A new pest of horse chestnut: Cameraria ohridella

Cameroon

96/110 - New records of Liriomyza sativae in Asia and Africa

Canada

96/095 - Survey on grapevine viruses in Canada

96/099 - Puccinia horiana in North America

96/167 - Ips typographus reported in Canada

96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Carposina nipponensis

96/087 - New data on pests of quarantine importance

96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

Ceratitis capitata

96/056 - Quarantine treatment to control Ceratitis capitata, Bactrocera cucurbitae and B. dorsalis in papaya

96/057 - Quarantine treatment to control Ceratitis capitata, Bactrocera cucurbitae and B. dorsalis in carambola

96/064 - Eradication of Ceratitis capitata in Chile

96/066 - Development of traps for Ceratitis capitata and Anastrepha ludens

96/069 - EPPO Distribution List for Ceratitis capitata, C. cosyra and C. rosa

96/115 - Ceratitis capitata trapped in New Zealand

96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

96/154 - Detection of irradiated Ceratitis capitata

96/166 - Ceratitis capitata is not present in Suriname

96/217 - Studies on traps and attractants for Ceratitis capitata

96/218 - Overwintering of Ceratitis capitata in Northern Greece

Ceratitis cosyra

96/069 - EPPO Distribution List for Ceratitis capitata, C. cosyra and C. rosa

96/087 - New data on pests of quarantine importance

96/204 - New data on pests and diseases of plant quarantine importance

Ceratitis rosa

96/069 - EPPO Distribution List for Ceratitis capitata, C. cosyra and C. rosa

Ceratocystis fagacearum

96/037 - Studies on the possible use of sulfuryl fluoride fumigation against Ceratocystis fagacearum

Ceratocystis fimbriata var. platani

96/058 - Survival of Ceratocystis fimbriata var. platani in the soil

96/088 - Information of pests and diseases of quarantine importance in Slovakia

EPPO Reporting Service

Cherry leaf roll nepovirus

- 96/043 - New data on diseases of quarantine importance
96/088 - Information of pests and diseases of quarantine importance in Slovakia
96/204 - New data on pests and diseases of plant quarantine importance

Cherry lethal yellows

- 96/081 - New phytoplasma associated with cherry lethal yellows in China

Cherry little cherry disease

- 96/172 - Situation of cherry little cherry disease in Germany

Chile

- 96/051 - *Phytophthora fragariae* var. *rubi* found in Chile
96/064 - Eradication of *Ceratitis capitata* in Chile
96/158 - *Heterodera glycines* is not present in Chile

China

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/081 - New phytoplasma associated with cherry lethal yellows in China
96/087 - New data on pests of quarantine importance
96/156 - Control of *Anoplophora chinensis* in China

Ciborinia camelliae

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

Citrus blight disease

- 96/043 - New data on diseases of quarantine importance
96/047 - Citrus blight is present in the Dominican Republic
96/201 - Additions and deletions to the EPPO A1 and A2 quarantine lists

Citrus greening bacterium

- 96/032 - Proposed names for citrus greening bacterium and lime witches' broom phytoplasma
96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

Citrus mosaic disease

- 96/137 - Citrus mosaic disease in India is associated with a badnavirus

Citrus ringspot virus

- 96/125 - New data on pests and diseases of quarantine importance

Citrus tristeza closterovirus

- 96/009 - Citrus tristeza closterovirus is present in St Lucia
96/030 - Present situation of citrus tristeza closterovirus in Spain
96/046 - First report of citrus tristeza closterovirus in Louisiana (US)
96/204 - New data on pests and diseases of plant quarantine importance
96/215 - Update on the situation of citrus tristeza closterovirus in Mexico
96/216 - Situation of citrus tristeza closterovirus in Cyprus

Clavibacter michiganensis subsp. *insidiosus*

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia

EPPO Reporting Service

Clavibacter michiganensis* subsp. *michiganensis

- 96/039 - Soil solarization to control *Clavibacter michiganensis* subsp. *michiganensis*
96/194 - Recent findings of *Clavibacter michiganensis* subsp. *michiganensis*, plum pox potyvirus and *Xanthomonas fragariae* in the Netherlands

Clavibacter michiganensis* subsp. *sepedonicus

- 96/008 - *Clavibacter michiganensis* subsp. *sepedonicus* is not present in Romania
96/171 - Comparison of PCR, ELISA and DNA hybridization for the detection of *Clavibacter michiganensis* subsp. *sepedonicus*
96/185 - Situation of *Clavibacter michiganensis* subsp. *sepedonicus* in Spain
96/186 - Situation of *Clavibacter michiganensis* subsp. *sepedonicus* in Czech Republic

Cochliobolus heterostrophus

- 96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds

Colletotrichum acutatum

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/133 - First report of *Colletotrichum acutatum* in Israel
96/134 - *Colletotrichum acutatum* on ornamental lupin in United Kingdom
96/195 - New and detailed records for Brazil
96/204 - New data on pests and diseases of plant quarantine importance

Colombia

- 96/043 - New data on diseases of quarantine importance
96/087 - New data on pests of quarantine importance
96/125 - New data on pests and diseases of quarantine importance

Conferences

- 96/020 - 4th International EFPP Symposium - Diagnosis and Identification of Plant Pathogens
96/103 - Workshop on *Diabrotica virgifera*, Hódmezövásárhely (HU), 1996-03-19
96/180 - Fourth International Conference on Pests in Agriculture
96/223 - Second International Conference on Soil Solarization and Integrated Management of Soilborne Pests
96/224 - 10th Congress of the Mediterranean Phytopathological Union

Conotrachelus nenuphar

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Control methods

- 96/039 - Soil solarization to control *Clavibacter michiganensis* subsp. *michiganensis*
96/083 - Methyl iodide could replace methyl bromide as a soil fumigant
96/119 - Control of *Apiosporina morbosa*
96/156 - Control of *Anoplophora chinensis* in China

Cook Islands

- 96/053 - *Bemisia tabaci* biotype B in the Pacific region

Costa Rica

EPPO Reporting Service

- 96/043 - New data on diseases of quarantine importance
96/204 - New data on pests and diseases of plant quarantine importance

Côte d'Ivoire

- 96/087 - New data on pests of quarantine importance

Cotton leaf curl geminivirus

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

Croatia

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
96/004 - First report of fireblight in Croatia
96/005 - First report of *Diabrotica virgifera* in Croatia
96/087 - New data on pests of quarantine importance
96/163 - Information on pests and diseases of quarantine importance in Croatia

Cuba

- 96/121 - News from the Diagnostic Centre of the Dutch Plant Protection Service

Curtobacterium flaccumfaciens pv. flaccumfaciens

- 96/195 - New and detailed records for Brazil

Cuscuta spp.

- 96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds

Cydia molesta

- 96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

Cydia prunivora

- 96/204 - New data on pests and diseases of plant quarantine importance

Cyprus

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
96/090 - Situation of *Burkholderia (Pseudomonas) solanacearum* in Cyprus and Morocco
96/216 - Situation of citrus tristeza closterovirus in Cyprus

Czech Republic

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
96/089 - Czech Republic: occurrence of *Liriomyza huidobrensis* and eradication of *Helicoverpa armigera*
96/186 - Situation of *Clavibacter michiganensis* subsp. *sepedonicus* in Czech Republic
96/204 - New data on pests and diseases of plant quarantine importance

Dacus ciliatus

- 96/065 - Geographical distribution of *Bactrocera cucurbitae* and *Dacus ciliatus*
96/068 - EPPO Distribution List for *Dacus ciliatus*

Dendroctonus adjunctus

- 96/210 - Forest insects present in Mexico

EPPO Reporting Service

Dendroctonus brevicomis

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska
96/210 - Forest insects present in Mexico

Dendroctonus frontalis

- 96/210 - Forest insects present in Mexico

Dendroctonus ponderosae

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska
96/210 - Forest insects present in Mexico

Dendroctonus pseudotsugae

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska
96/210 - Forest insects present in Mexico

Dendroctonus rufipennis

- 96/073 - Outbreak of Dendroctonus rufipennis in Alaska (US)
96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Denied records

- 96/008 - Clavibacter michiganensis subsp. sepedonicus is not present in Romania
96/029 - Tilletia controversa is not present in Germany
96/090 - Situation of Burkholderia (Pseudomonas) solanacearum in Cyprus and Morocco
96/109 - Potato spindle tuber viroid is not present in Japan
96/125 - New data on pests and diseases of quarantine importance
96/158 - Heterodera glycines is not present in Chile
96/166 - Ceratitis capitata is not present in Suriname

Denmark

- 96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

Detailed records

- 96/006 - Situation of Diabrotica virgifera in Serbia (YU)
96/007 - Situation of Diabrotica virgifera in Hungary
96/010 - Situation of beet necrotic yellow vein furovirus in Hungary
96/016 - Tomato spotted wilt tospovirus occurs in Louisiana (US)
96/023 - Fireblight foci in Puy-de-Dôme (FR)
96/026 - Bactrocera dorsalis trapped in California and Florida (US)
96/027 - Anastrepha ludens trapped in California (US)
96/030 - Present situation of citrus tristeza closterovirus in Spain
96/031 - Citrus whiteflies in Spain
96/043 - New data on diseases of quarantine importance
96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/046 - First report of citrus tristeza closterovirus in Louisiana (US)

EPPO Reporting Service

- 96/063 - Situation of *Bactrocera carambolae* in Suriname, Guyana and French Guiana
- 96/065 - Geographical distribution of *Bactrocera cucurbitae* and *Dacus ciliatus*
- 96/071 - Occurrence of *Malacosoma disstria* in Pennsylvania (US)
- 96/072 - Studies on transmission of blue-stain fungi by *Ips pini*
- 96/073 - Outbreak of *Dendroctonus rufipennis* in Alaska (US)
- 96/075 - Situation of peach latent mosaic viroid in Campania (IT)
- 96/076 - *Radopholus similis* and *Aphelenchoïdes besseyi* detected in Italy
- 96/087 - New data on pests of quarantine importance
- 96/088 - Information of pests and diseases of quarantine importance in Slovakia
- 96/090 - Situation of *Burkholderia (Pseudomonas) solanacearum* in Cyprus and Morocco
- 96/093 - *Xanthomonas arboricola* pv. *pruni* (*X. campestris* pv. *pruni*) found in peach orchards in Lazio (IT)
- 96/095 - Survey on grapevine viruses in Canada
- 96/099 - *Puccinia horiana* in North America
- 96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes
- 96/125 - New data on pests and diseases of quarantine importance
- 96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds
- 96/132 - Situation of tomato yellow leaf curl geminivirus in Iran
- 96/135 - Situation of pear decline phytoplasma in Spain
- 96/144 - Situation of fireblight in Switzerland
- 96/145 - *Erwinia amylovora* in ex-Yugoslavia
- 96/151 - Beet curly top geminivirus is present on *Capsicum annuum* in Oregon (US)
- 96/156 - Control of *Anoplophora chinensis* in China
- 96/157 - First report of *Heterodera glycines* in South Dakota
- 96/163 - Information on pests and diseases of quarantine importance in Croatia
- 96/168 - First report of *Bursaphelenchus xylophilus* in Oregon (US)
- 96/172 - Situation of cherry little cherry disease in Germany
- 96/176 - Peach latent mosaic viroid in commercial peach and nectarine cultivars in USA
- 96/182 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the Netherlands
- 96/187 - Situation of *Globodera pallida* and *G. rostochiensis* in the former German Democratic Republic
- 96/195 - New and detailed records for Brazil
- 96/196 - Situation of *Xylella fastidiosa* in Brazil
- 96/197 - Occurrence of *Heterodera glycines* in the State of São Paulo (BR)
- 96/200 - Occurrence of palm lethal yellowing phytoplasma in Honduras
- 96/204 - New data on pests and diseases of plant quarantine importance
- 96/208 - Situation of *Bursaphelenchus xylophilus* and *Monochamus alternatus* in Korea Republic
- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and
- Alaska
 - 96/210 - Forest insects present in Mexico
 - 96/213 - Further spread of *Gonipterus scutellatus* in Spain
 - 96/215 - Update on the situation of citrus tristeza closterovirus in Mexico
 - 96/216 - Situation of citrus tristeza closterovirus in Cyprus

Detection/Identification methods

- 96/013 - PCR detection of tomato ringspot nepovirus
- 96/018 - Detection kit for tomato spotted wilt and impatiens necrotic spot tospoviruses
- 96/035 - Specific ELISA detection of the Andean strain of potato S carlavirus
- 96/045 - Differentiation of three *Bursaphelenchus* species by RAPD-PCR
- 96/101 - PCR method to identify *Xanthomonas axonopodis* pv. *citri* (*X. campestris* pv. *citri*)
- 96/102 - PCR method to identify *Tilletia indica*
- 96/148 - New detection method for *Erwinia amylovora*
- 96/153 - PCR method to detect both *Xanthomonas axonopodis* pv. *phaseoli* and *Pseudomonas syringae* pv. *phaseolicola* in bean seeds

EPPO Reporting Service

- 96/171 - Comparison of PCR, ELISA and DNA hybridization for the detection of Clavibacter michiganensis subsp. sepedonicus
96/188 - Identification of potato cyst nematodes by using PCR
96/189 - New sampling method to detect low populations of Globodera rostochiensis and G. pallida

Diabrotica barberi

- 96/155 - Studies on development rate of Diabrotica barberi
96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Diabrotica virgifera

- 96/005 - First report of Diabrotica virgifera in Croatia
96/006 - Situation of Diabrotica virgifera in Serbia (YU)
96/007 - Situation of Diabrotica virgifera in Hungary
96/103 - Workshop on Diabrotica virgifera, Hódmezövásárhely (HU), 1996-03-19
96/165 - First report of Diabrotica virgifera in Romania
96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska
96/221 - Damage of Diabrotica virgifera to maize following soybean in USA

Dialeurodes citri

- 96/031 - Citrus whiteflies in Spain

Diaporthe helianthi

- 96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds

Diaporthe phaseolorum var. caulivora

- 96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds

Diaprepes abbreviatus

- 96/121 - News from the Diagnostic Centre of the Dutch Plant Protection Service

Didymella ligulicola

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia

Ditylenchus destructor

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia

Distribution Lists

- 96/067 - EPPO Distribution List of Bactrocera cucurbitae
96/068 - EPPO Distribution List for Dacus ciliatus
96/069 - EPPO Distribution List for Ceratitis capitata, C. cosyra and C. rosa
96/104 - EPPO Distribution List for Erwinia chrysanthemi
96/111 - EPPO Distribution List for Liriomyza sativae
96/129 - EPPO Distribution List for Alternaria mali
96/142 - Situation of Phyllocnistis citrella in the EPPO region
96/146 - EPPO Distribution List of Erwinia amylovora
96/159 - EPPO Distribution List for Heterodera glycines
96/177 - Tentative EPPO Distribution List for peach latent mosaic viroid

EPPO Reporting Service

- 96/178 - Tentative distribution list for peach mosaic disease
96/184 - EPPO Distribution List for Burkholderia solanacearum

Dominican Republic

- 96/047 - Citrus blight is present in the Dominican Republic

Dryocoetes confusus

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Elsinöe fawcetii

- 96/204 - New data on pests and diseases of plant quarantine importance

Epitrix cucumeris, E. tuberis

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

EPPO/OEPP

- 96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region
96/021 - EPPO Electronic Documentation Service
96/061 - EPPO Electronic Documentation Service - update
96/124 - EPPO Electronic Documentation Service : REMINDER!
96/127 - Views of the EPPO Working Party on Phytosanitary Regulations on Tilletia indica
96/142 - Situation of Phyllocnistis citrella in the EPPO region
96/143 - New EPPO summary of Phytosanitary Regulations of Turkey
96/162 - Illustrations of Quarantine Pests for Europe
96/202 - EPPO Electronic Documentation Service : REMINDER!
96/225 - EPPO Reporting Service Index
96/226 - Directory of Plant Protection Services of EPPO Member Countries

Erwinia amylovora

- 96/004 - First report of fireblight in Croatia
96/023 - Fireblight foci in Puy-de-Dôme (FR)
96/043 - New data on diseases of quarantine importance
96/074 - Phytosanitary situation of fruit crops in Albania
96/100 - Genetic studies of Erwinia amylovora strains isolated from fruit trees and Rubus spp.
96/106 - First report of Erwinia amylovora in Hungary
96/107 - First report of Erwinia amylovora in Spain
96/108 - Is Erwinia amylovora present in Japan ?
96/144 - Situation of fireblight in Switzerland
96/145 - Erwinia amylovora in ex-Yugoslavia
96/146 - EPPO Distribution List of Erwinia amylovora
96/147 - Streptomycin resistance of Erwinia amylovora in Israel
96/148 - New detection method for Erwinia amylovora

Erwinia chrysanthemi

- 96/043 - New data on diseases of quarantine importance
96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/104 - EPPO Distribution List for Erwinia chrysanthemi

EPPO Reporting Service

Erwinia stewartii (see *Pantoea stewartii* subsp. *stewartii*)

Estonia

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
96/003 - Decline diseases of *Prunus* in Europe are now considered as due to European stone fruit yellows phytoplasma
96/033 - Report of phytoplasma infection in European plums in Italy

Eutetranychus orientalis

- 96/204 - New data on pests and diseases of plant quarantine importance

FAO

- 96/160 - List of Contracting Parties to the International Plant Protection Convention
96/161 - FAO/IPGRI Technical Guidelines for the safe movement of *Musa* spp. (2nd edition)
96/222 - FAO/IPGRI Technical Guidelines for the safe movement of stone fruits and *Eucalyptus* sp.

Finland

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region

Fusarium oxysporum f. sp. *albedinis*

- 96/219 - Genetic studies on *Fusarium oxysporum* f. sp. *albedinis*

Fusarium subglutinans f. sp. *pini*

- 96/070 - Occurrence of *Fusarium subglutinans* f.sp. *pini* in South Africa

France

- 96/022 - Situation of *Burkholderia (Pseudomonas) solanacearum* in France and Portugal
96/023 - Fireblight foci in Puy-de-Dôme (FR)
96/040 - *Metcalfa pruinosa*: a new pest in Europe
96/136 - Pear decline phytoplasma found on Japanese pear in France
96/150 - First report of *Matsucoccus feytaudi* in Corsica (FR)
96/181 - Changes in telephone numbers in France

Frankliniella occidentalis

- 96/038 - Treatments of orchid blossoms against *Thrips palmi* and *Frankliniella occidentalis*
96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/078 - Influence of trap shape, size and background colour on captures of *Frankliniella occidentalis*
96/087 - New data on pests of quarantine importance
96/088 - Information of pests and diseases of quarantine importance in Slovakia
96/198 - Tospoviruses and thrips

French Guiana

- 96/063 - Situation of *Bactrocera carambolae* in Suriname, Guyana and French Guiana

Geminiviruses

- 96/011 - Molecular studies on tomato yellow leaf curl geminivirus isolates from the Mediterranean region
96/012 - Studies on resistance to tomato yellow mosaic geminivirus
96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/054 - New geminivirus of tomato in Mexico

EPPO Reporting Service

- 96/112 - First report of tomato yellow leaf curl geminivirus and *Bemisia tabaci* in Portugal
96/130 - Tomato mottle geminivirus found in Puerto Rico
96/131 - First report of tomato yellow leaf curl geminivirus and tomato ringspot nepovirus in Pakistan
96/132 - Situation of tomato yellow leaf curl geminivirus in Iran
96/151 - Beet curly top geminivirus is present on *Capsicum annuum* in Oregon (US)
96/152 - Weeds naturally infected by beet curly top geminivirus
96/195 - New and detailed records for Brazil
96/220 - New strains of potato spindle tuber viroid and Australian tomato leaf curl bigeminivirus from a wild *Solanum* sp. in Australia

Germany

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
96/029 - *Tilletia controversa* is not present in Germany
96/087 - New data on pests of quarantine importance
96/125 - New data on pests and diseases of quarantine importance
96/172 - Situation of cherry little cherry disease in Germany
96/187 - Situation of *Globodera pallida* and *G. rostochiensis* in the former German Democratic Republic
96/205 - Occurrence of *Meloidogyne chitwoodi* in Germany

Globodera pallida

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia
96/187 - Situation of *Globodera pallida* and *G. rostochiensis* in the former German Democratic Republic
96/188 - Identification of potato cyst nematodes by using PCR
96/189 - New sampling method to detect low populations of *Globodera rostochiensis* and *G. pallida*

Globodera rostochiensis

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia
96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes
96/187 - Situation of *Globodera pallida* and *G. rostochiensis* in the former German Democratic Republic
96/188 - Identification of potato cyst nematodes by using PCR
96/189 - New sampling method to detect low populations of *Globodera rostochiensis* and *G. pallida*
96/204 - New data on pests and diseases of plant quarantine importance

Gnathotrichus sulcatus

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska
96/210 - Forest insects present in Mexico

Gonipterus scutellatus

- 96/049 - Situation of *Gonipterus scutellatus* in Spain
96/213 - Further spread of *Gonipterus scutellatus* in Spain

Grapevine flavescence dorée phytoplasma

Grapevine yellows

- 96/125 - New data on pests and diseases of quarantine importance

Gremmeniella abietina

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia

Guam

- 96/053 - *Bemisia tabaci* biotype B in the Pacific region

EPPO Reporting Service

Guatemala

96/066 - Development of traps for Ceratitis capitata and Anastrepha ludens

Guernsey

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

Guignardia citricarpa

96/195 - New and detailed records for Brazil

Guinea

96/052 - Phaeoramularia angolensis is present in Guinea

Guyana

96/063 - Situation of Bactrocera carambolae in Suriname, Guyana and French Guiana

Helicoverpa armigera

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

96/087 - New data on pests of quarantine importance

96/088 - Information of pests and diseases of quarantine importance in Slovakia

96/089 - Czech Republic: occurrence of Liriomyza huidobrensis and eradication of Helicoverpa armigera

96/141 - Damage of Helicoverpa armigera on grapevine in Hungary

96/204 - New data on pests and diseases of plant quarantine importance

Heterodera glycines

96/157 - First report of Heterodera glycines in South Dakota

96/158 - Heterodera glycines is not present in Chile

96/159 - EPPO Distribution List for Heterodera glycines

96/197 - Occurrence of Heterodera glycines in the State of São Paulo (BR)

Honduras

96/200 - Occurrence of palm lethal yellowing phytoplasma in Honduras

Hong Kong

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

Hungary

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

96/007 - Situation of Diabrotica virgifera in Hungary

96/010 - Situation of beet necrotic yellow vein furovirus in Hungary

96/015 - Tomato spotted wilt tospovirus is present in Hungary

96/106 - First report of Erwinia amylovora in Hungary

96/141 - Damage of Helicoverpa armigera on grapevine in Hungary

Hyphantria cunea

96/025 - Hyphantria cunea found in Tessin (CH)

96/088 - Information of pests and diseases of quarantine importance in Slovakia

96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

96/210 - Forest insects present in Mexico

EPPO Reporting Service

Hypoxyton mammatum

96/088 - Information of pests and diseases of quarantine importance in Slovakia

Impatiens necrotic spot tospovirus

96/018 - Detection kit for tomato spotted wilt and impatiens necrotic spot tospoviruses

India

96/043 - New data on diseases of quarantine importance

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

96/110 - New records of *Liriomyza sativae* in Asia and Africa

96/125 - New data on pests and diseases of quarantine importance

96/137 - Citrus mosaic disease in India is associated with a badnavirus

96/204 - New data on pests and diseases of plant quarantine importance

Interception reports

96/060 - EPPO report on selected intercepted consignments

96/105 - EPPO report on selected intercepted consignments: last two months of 1995

96/122 - EPPO report on selected intercepted consignments

International Plant Protection Convention (IPPC)

96/160 - List of Contracting Parties to the International Plant Protection Convention

IPGRI

96/161 - FAO/IPGRI Technical Guidelines for the safe movement of *Musa* spp. (2nd edition)

96/222 - FAO/IPGRI Technical Guidelines for the safe movement of stone fruits and *Eucalyptus* sp.

Ips amitinus

96/201 - Additions and deletions to the EPPO A1 and A2 quarantine lists

Ips calligraphus

96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

96/210 - Forest insects present in Mexico

Ips confusus

96/210 - Forest insects present in Mexico

Ips duplicatus

96/088 - Information of pests and diseases of quarantine importance in Slovakia

Ips grandicollis

96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

96/210 - Forest insects present in Mexico

Ips lecontei

96/210 - Forest insects present in Mexico

EPPO Reporting Service

Ips pini

- 96/072 - Studies on transmission of blue-stain fungi by *Ips pini*
96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska
96/210 - Forest insects present in Mexico

Ips plastographus plastographus

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Ips sexdentatus

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia

Ips typographus

- 96/167 - *Ips typographus* reported in Canada
96/204 - New data on pests and diseases of plant quarantine importance

Iran

- 96/043 - New data on diseases of quarantine importance
96/065 - Geographical distribution of *Bactrocera cucurbitae* and *Dacus ciliatus*
96/132 - Situation of tomato yellow leaf curl geminivirus in Iran

Ireland

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region

ISO

- 96/084 - New ISO codes for country names

Israel

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
96/048 - First report of *Oncastichus goughi* in Israel
96/065 - Geographical distribution of *Bactrocera cucurbitae* and *Dacus ciliatus*
96/133 - First report of *Colletotrichum acutatum* in Israel
96/147 - Streptomycin resistance of *Erwinia amylovora* in Israel

Italy

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
96/033 - Report of phytoplasma infection in European plums in Italy
96/040 - *Metcalfa pruinosa*: a new pest in Europe
96/075 - Situation of peach latent mosaic viroid in Campania (IT)
96/076 - *Radopholus similis* and *Aphelenchoides besseyi* detected in Italy
96/093 - *Xanthomonas arboricola* pv. *pruni* (*X. campestris* pv. *pruni*) found in peach orchards in Lazio (IT)

Japan

- 96/108 - Is *Erwinia amylovora* present in Japan ?
96/109 - Potato spindle tuber viroid is not present in Japan

Jersey

EPPO Reporting Service

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

Jordan

96/125 - New data on pests and diseases of quarantine importance

Korea, Republic of

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

96/208 - Situation of Bursaphelenchus xylophilus and Monochamus alternatus in Korea Republic

Latvia

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

Leptinotarsa decemlineata

96/087 - New data on pests of quarantine importance

96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Lesotho

96/065 - Geographical distribution of Bactrocera cucurbitae and Dacus ciliatus

Lime witches' broom phytoplasma

96/032 - Proposed names for citrus greening bacterium and lime witches' broom phytoplasma

Liriomyza huidobrensis

96/089 - Czech Republic: occurrence of Liriomyza huidobrensis and eradication of Helicoverpa armigera

96/204 - New data on pests and diseases of plant quarantine importance

96/206 - First report of Liriomyza huidobrensis in Turkey

Liriomyza trifolii

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

96/088 - Information of pests and diseases of quarantine importance in Slovakia

96/125 - New data on pests and diseases of quarantine importance

96/204 - New data on pests and diseases of plant quarantine importance

Liriomyza sativae

96/110 - New records of Liriomyza sativae in Asia and Africa

96/111 - EPPO Distribution List for Liriomyza sativae

Lymantria dispar

96/014 - Differentiation between forms of Lymantria dispar

Maconellicoccus hirsutus

96/028 - Further spread of Maconellicoccus hirsutus in the Caribbean

96/207 - First report of Maconellicoccus hirsutus in Saint-Martin (Netherlands Antilles)

Malacosoma americanum

96/201 - Additions and deletions to the EPPO A1 and A2 quarantine lists

EPPO Reporting Service

Malacosoma disstria

96/071 - Occurrence of Malacosoma disstria in Pennsylvania (US)

Malta

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

Matsucoccus feytaudi

96/150 - First report of Matsucoccus feytaudi in Corsica (FR)

Melampsora medusae

96/195 - New and detailed records for Brazil

Meloidogyne chitwoodi

96/085 - Meloidogyne chitwoodi - a meeting to present EU research project [URGENT!]

96/205 - Occurrence of Meloidogyne chitwoodi in Germany

Metcalfa pruinosa

96/040 - Metcalfa pruinosa: a new pest in Europe

Mexico

96/054 - New geminivirus of tomato in Mexico

96/092 - Anastrepha species trapped in tropical orchards in Mexico

96/099 - Puccinia horiana in North America

96/210 - Forest insects present in Mexico

96/215 - Update on the situation of citrus tristeza closterovirus in Mexico

Monochamus alternatus

96/208 - Situation of Bursaphelenchus xylophilus and Monochamus alternatus in Korea Republic

Monochamus carolinensis, M. marmorator, M. mutator, M. notatus, M. obtusus obtusus, M. scutellatus scutellatus, M. titillator

96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Morocco

96/043 - New data on diseases of quarantine importance

96/090 - Situation of Burkholderia (Pseudomonas) solanacearum in Cyprus and Morocco

Myanmar

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

96/065 - Geographical distribution of Bactrocera cucurbitae and Dacus ciliatus

NAPPO

96/036 - NAPPO quarantine lists for potato pests

Nauru

96/087 - New data on pests of quarantine importance

EPPO Reporting Service

Nepal

- 96/175 - Recent studies on peach latent mosaic viroid

Netherlands

- 96/001 - Burkholderia (Pseudomonas) solanacearum found again in the Netherlands
96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region
96/121 - News from the Diagnostic Centre of the Dutch Plant Protection Service
96/182 - Situation of Burkholderia (Pseudomonas) solanacearum in the Netherlands
96/193 - Eradication of further outbreaks of Thrips palmi in the Netherlands
96/194 - Recent findings of Clavibacter michiganensis subsp. michiganensis, plum pox potyvirus and Xanthomonas fragariae in the Netherlands

Netherlands Antilles

- 96/207 - First report of Maconellicoccus hirsutus in Saint-Martin (Netherlands Antilles)

New Caledonia

- 96/053 - Bemisia tabaci biotype B in the Pacific region

New host plants

- 96/017 - New hosts plants of tomato spotted wilt tospovirus
96/055 - Tomato spotted wilt tospovirus causes a serious disease of chickpea (Cicer arietinum) in Brazil
96/087 - New data on pests of quarantine importance
96/097 - First report of Arceuthobium americanum on Abies lasiocarpa
96/098 - First report of Andean potato latent tymovirus in Ullucus tuberosus
96/121 - News from the Diagnostic Centre of the Dutch Plant Protection Service
96/134 - Colletotrichum acutatum on ornamental lupin in United Kingdom
96/136 - Pear decline phytoplasma found on Japanese pear in France
96/149 - Characterization of the sour cherry strain of plum pox potyvirus
96/169 - First report of Xylella fastidiosa in coffee
96/204 - New data on pests and diseases of plant quarantine importance
96/212 - Cacoecimorpha pronubana found on Pinus halepensis in Spain

New pests

- 96/041 - Phytophthora disease of common alder
96/042 - Potential spread of Artioposthia triangulata (New Zealand flatworm) and Australoplana sanguinea var. alba to continental Europe
96/054 - New geminivirus of tomato in Mexico
96/081 - New phytoplasma associated with cherry lethal yellows in China
96/082 - Chrysanthemum stem necrosis possibly due to a new tospovirus
96/173 - New virus disease of barley in Switzerland
96/211 - A new pest of horse chestnut: Cameraria ohridella
96/214 - Introduction of Anoplophora glabripennis in New York State (US)

New records

- 96/004 - First report of fireblight in Croatia
96/005 - First report of Diabrotica virgifera in Croatia
96/009 - Citrus tristeza closterovirus is present in St Lucia
96/015 - Tomato spotted wilt tospovirus is present in Hungary
96/024 - Toxoptera citricida found in Florida (US)
96/025 - Hyphantria cunea found in Tessin (CH)
96/028 - Further spread of Maconellicoccus hirsutus in the Caribbean

EPPO Reporting Service

- 96/040 - Metcalfa pruinosa: a new pest in Europe
- 96/043 - New data on diseases of quarantine importance
- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
- 96/047 - Citrus blight is present in the Dominican Republic
- 96/048 - First report of Oncastichus goughi in Israel
- 96/049 - Situation of Gonipterus scutellatus in Spain
- 96/050 - Detection of potato stolbur phytoplasma in Spain
- 96/051 - Phytophthora fragariae var. rubi found in Chile
- 96/052 - Phaeoramularia angolensis is present in Guinea
- 96/062 - Tilletia indica in United States
- 96/065 - Geographical distribution of Bactrocera cucurbitae and Dacus ciliatus
- 96/066 - Development of traps for Ceratitis capitata and Anastrepha ludens
- 96/070 - Occurrence of Fusarium subglutinans f.sp. pini in South Africa
- 96/074 - Phytosanitary situation of fruit crops in Albania
- 96/087 - New data on pests of quarantine importance
- 96/088 - Information of pests and diseases of quarantine importance in Slovakia
- 96/089 - Czech Republic: occurrence of Liriomyza huidobrensis and eradication of Helicoverpa armigera
- 96/091 - First report of Thrips palmi in Brazil
- 96/094 - Detection of arabis mosaic nepovirus in Austria
- 96/096 - Introduction of the Asiatic palm weevil, Rhynchophorus ferrugineus into Spain
- 96/106 - First report of Erwinia amylovora in Hungary
- 96/107 - First report of Erwinia amylovora in Spain
- 96/110 - New records of Liriomyza sativae in Asia and Africa
- 96/112 - First report of tomato yellow leaf curl geminivirus and Bemisia tabaci in Portugal
- 96/113 - First report of pear decline phytoplasma in Poland
- 96/115 - Ceratitis capitata trapped in New Zealand
- 96/116 - Bactrocera papayae and B. tryoni trapped in New Zealand
- 96/121 - News from the Diagnostic Centre of the Dutch Plant Protection Service
- 96/125 - New data on pests and diseases of quarantine importance
- 96/128 - First report of Alternaria mali in Yugoslavia
- 96/130 - Tomato mottle geminivirus found in Puerto Rico
- 96/131 - First report of tomato yellow leaf curl geminivirus and tomato ringspot nepovirus in Pakistan
- 96/133 - First report of Colletotrichum acutatum in Israel
- 96/150 - First report of Matsucoccus feytaudi in Corsica (FR)
- 96/165 - First report of Diabrotica virgifera in Romania
- 96/167 - Ips typographus reported in Canada
- 96/175 - Recent studies on peach latent mosaic viroid
- 96/185 - Situation of Clavibacter michiganensis subsp. sepedonicus in Spain
- 96/195 - New and detailed records for Brazil
- 96/196 - Situation of Xylella fastidiosa in Brazil
- 96/204 - New data on pests and diseases of plant quarantine importance
- 96/205 - Occurrence of Meloidogyne chitwoodi in Germany
- 96/206 - First report of Liriomyza huidobrensis in Turkey
- 96/207 - First report of Maconellicoccus hirsutus in Saint-Martin (Netherlands Antilles)
- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska
- 96/210 - Forest insects present in Mexico

New Zealand

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
- 96/115 - Ceratitis capitata trapped in New Zealand
- 96/116 - Bactrocera papayae and B. tryoni trapped in New Zealand

EPPO Reporting Service

Norway

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

Pakistan

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

96/131 - First report of tomato yellow leaf curl geminivirus and tomato ringspot nepovirus in Pakistan

96/175 - Recent studies on peach latent mosaic viroid

Palm lethal yellowing phytoplasma

96/200 - Occurrence of palm lethal yellowing phytoplasma in Honduras

Pantoea stewartii subsp. stewartii (Erwinia stewartii)

96/086 - Name changes for bacteria

96/139 - Studies on seed-transmission of Pantoea (Erwinia) stewartii subsp. stewartii

Papua New Guinea

96/204 - New data on pests and diseases of plant quarantine importance

Parabemisia myricae

96/031 - Citrus whiteflies in Spain

Paraguay

96/196 - Situation of Xylella fastidiosa in Brazil

Peach latent mosaic viroid

96/075 - Situation of peach latent mosaic viroid in Campania (IT)

96/175 - Recent studies on peach latent mosaic viroid

96/176 - Peach latent mosaic viroid in commercial peach and nectarine cultivars in USA

96/177 - Tentative EPPO Distribution List for peach latent mosaic viroid

Peach mosaic disease

Peach yellow mosaic disease

96/175 - Recent studies on peach latent mosaic viroid

96/178 - Tentative distribution list for peach mosaic disease

Pear decline phytoplasma

96/088 - Information of pests and diseases of quarantine importance in Slovakia

96/113 - First report of pear decline phytoplasma in Poland

96/135 - Situation of pear decline phytoplasma in Spain

96/136 - Pear decline phytoplasma found on Japanese pear in France

Phaeoisariopsis griseola

96/043 - New data on diseases of quarantine importance

Phaeoramularia angolensis

96/052 - Phaeoramularia angolensis is present in Guinea

Phoma exigua var. foveata

96/088 - Information of pests and diseases of quarantine importance in Slovakia

EPPO Reporting Service

Phoracantha semipunctata

96/087 - New data on pests of quarantine importance

Phthorimaea operculella

96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

Phylloconistis citrella

96/142 - Situation of Phylloconistis citrella in the EPPO region

Phytophthora fragariae var. fragariae

96/088 - Information of pests and diseases of quarantine importance in Slovakia

Phytophthora fragariae var. rubi

96/051 - Phytophthora fragariae var. rubi found in Chile

Phytophthora spp.

96/041 - Phytophthora disease of common alder

Pissodes nemorensis, P. strobi, P. terminalis

96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Plasmopara halstedii

96/043 - New data on diseases of quarantine importance

96/088 - Information of pests and diseases of quarantine importance in Slovakia

Plum pox potyvirus

96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds

96/149 - Characterization of the sour cherry strain of plum pox potyvirus

96/174 - Further studies on the non-transmission of plum pox potyvirus by pollen and seed

96/194 - Recent findings of Clavibacter michiganensis subsp. michiganensis, plum pox potyvirus and Xanthomonas fragariae in the Netherlands

Poland

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

96/113 - First report of pear decline phytoplasma in Poland

Popillia japonica

96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Portugal

96/022 - Situation of Burkholderia (Pseudomonas) solanacearum in France and Portugal

96/112 - First report of tomato yellow leaf curl geminivirus and Bemisia tabaci in Portugal

EPPO Reporting Service

Potato spindle tuber viroid

- 96/109 - Potato spindle tuber viroid is not present in Japan
96/121 - News from the Diagnostic Centre of the Dutch Plant Protection Service
96/220 - New strains of potato spindle tuber viroid and Australian tomato leaf curl bigeminivirus from a wild Solanum sp. in Australia

Potato stolbur phytoplasma

- 96/050 - Detection of potato stolbur phytoplasma in Spain
96/088 - Information of pests and diseases of quarantine importance in Slovakia

Portugal

- 96/043 - New data on diseases of quarantine importance

Pseudomonas caryophylli (see *Burkholderia caryophylli*)

Pseudomonas solanacearum (see *Burkholderia solanacearum*)

Pseudomonas syringae pv. *persicae*

- 96/114 - Relationships between populations of Pseudomonas syringae pv. *persicae* from different origins

Pseudomonas syringae pv. *pisi*

- 96/043 - New data on diseases of quarantine importance
96/088 - Information of pests and diseases of quarantine importance in Slovakia

Pseudopityophthorus minutissimus

- 96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

Publications

- 96/021 - EPPO Electronic Documentation Service
96/061 - EPPO Electronic Documentation Service - update
96/123 - New book: Viruses of plants
96/124 - EPPO Electronic Documentation Service : REMINDER!
96/143 - New EPPO summary of Phytosanitary Regulations of Turkey
96/161 - FAO/IPGRI Technical Guidelines for the safe movement of Musa spp. (2nd edition)
96/162 - Illustrations of Quarantine Pests for Europe
96/202 - EPPO Electronic Documentation Service : REMINDER!
96/222 - FAO/IPGRI Technical Guidelines for the safe movement of stone fruits and Eucalyptus sp.

Puccinia horiana

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia
96/099 - Puccinia horiana in North America

Puccinia pelargonii-zonalis

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia
96/125 - New data on pests and diseases of quarantine importance

EPPO Reporting Service

Puerto Rico

96/130 - Tomato mottle geminivirus found in Puerto Rico

Quadraspidiotus perniciosus

- 96/074 - Phytosanitary situation of fruit crops in Albania
- 96/087 - New data on pests of quarantine importance
- 96/088 - Information of pests and diseases of quarantine importance in Slovakia
- 96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

Quarantine lists

- 96/036 - NAPPO quarantine lists for potato pests
- 96/164 - Quarantine lists for Slovenia
- 96/201 - Additions and deletions to the EPPO A1 and A2 quarantine lists

Quarantine treatments

- 96/037 - Studies on the possible use of sulfuryl fluoride fumigation against *Ceratocystis fagacearum*
- 96/038 - Treatments of orchid blossoms against *Thrips palmi* and *Frankliniella occidentalis*
- 96/056 - Quarantine treatment to control *Ceratitis capitata*, *Bactrocera cucurbitae* and *B. dorsalis* in papaya
- 96/057 - Quarantine treatment to control *Ceratitis capitata*, *Bactrocera cucurbitae* and *B. dorsalis* in carambola
- 96/117 - Gamma irradiation of *Bactrocera minax* larvae
- 96/138 - Quarantine treatment against *Unaspis yanonensis* on Satsuma
- 96/154 - Detection of irradiated *Ceratitis capitata*

Radopholus similis

- 96/076 - *Radopholus similis* and *Aphelenchoides besseyi* detected in Italy

Rhagoletis completa

- 96/201 - Additions and deletions to the EPPO A1 and A2 quarantine lists

Resistance

- 96/079 - Resistance of *Aonidiella aurantii* and *A. citrina* to organophosphates and carbamates
- 96/147 - Streptomycin resistance of *Erwinia amylovora* in Israel

Rhizoecus hibisci

- 96/121 - News from the Diagnostic Centre of the Dutch Plant Protection Service

Rhizomania (see beet necrotic yellow vein furovirus)

Rhynchophorus ferrugineus

- 96/096 - Introduction of the Asiatic palm weevil, *Rhynchophorus ferrugineus* into Spain

Romania

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
- 96/008 - *Clavibacter michiganensis* subsp. *sepedonicus* is not present in Romania
- 96/165 - First report of *Diabrotica virgifera* in Romania
- 96/175 - Recent studies on peach latent mosaic viroid

EPPO Reporting Service

Russia

- 96/059 - Geographical distribution information for pests in Russia
96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes
96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds

Rwanda

- 96/065 - Geographical distribution of Bactrocera cucurbitae and Dacus ciliatus

Saint Kitts & Navis

- 96/028 - Further spread of Maconellicoccus hirsutus in the Caribbean

Saint Lucia

- 96/009 - Citrus tristeza closterovirus is present in St Lucia

Satsuma dwarf virus

- 96/201 - Additions and deletions to the EPPO A1 and A2 quarantine lists

Saudi Arabia

- 96/065 - Geographical distribution of Bactrocera cucurbitae and Dacus ciliatus
96/125 - New data on pests and diseases of quarantine importance

Scirtothrips dorsalis

- 96/087 - New data on pests of quarantine importance

Serbia

- 96/006 - Situation of Diabrotica virgifera in Serbia (YU)
96/087 - New data on pests of quarantine importance

Slovak Republic

- 96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region
96/043 - New data on diseases of quarantine importance
96/088 - Information of pests and diseases of quarantine importance in Slovakia

Slovenia

- 96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region
96/040 - Metcalfa pruinosa: a new pest in Europe
96/164 - Quarantine lists for Slovenia
96/204 - New data on pests and diseases of plant quarantine importance

Solanum rostratum, S. triflorum

- 96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds

South Africa

- 96/070 - Occurrence of Fusarium subglutinans f.sp. pini in South Africa

Spain

- 96/030 - Present situation of citrus tristeza closterovirus in Spain
96/031 - Citrus whiteflies in Spain
96/049 - Situation of Gonipterus scutellatus in Spain
96/050 - Detection of potato stolbur phytoplasma in Spain

EPPO Reporting Service

- 96/087 - New data on pests of quarantine importance
- 96/096 - Introduction of the Asiatic palm weevil, *Rhynchophorus ferrugineus* into Spain
- 96/107 - First report of *Erwinia amylovora* in Spain
- 96/135 - Situation of pear decline phytoplasma in Spain
- 96/185 - Situation of *Clavibacter michiganensis* subsp. *sepedonicus* in Spain
- 96/213 - Further spread of *Gonipterus scutellatus* in Spain

Spodoptera litura

- 96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

Strawberry mild yellow edge luteovirus

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia

Strawberry vein banding caulimovirus

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia

Sudan

- 96/110 - New records of *Liriomyza sativae* in Asia and Africa

Suriname

- 96/063 - Situation of *Bactrocera carambolae* in Suriname, Guyana and French Guiana
- 96/166 - *Ceratitis capitata* is not present in Suriname

Sweden

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region

Switzerland

- 96/002 - Situation of *Burkholderia (Pseudomonas) solanacearum* in the EPPO region
- 96/025 - *Hyphantria cunea* found in Tessin (CH)
- 96/040 - *Metcalfa pruinosa*: a new pest in Europe
- 96/144 - Situation of fireblight in Switzerland
- 96/173 - New virus disease of barley in Switzerland

Synchytrium endobioticum

- 96/034 - Susceptibility of potato cultivars to *Synchytrium endobioticum*
- 96/088 - Information of pests and diseases of quarantine importance in Slovakia
- 96/126 - Geographical distribution of Russian A2 quarantine pests in Russia: pathogens and weeds
- 96/190 - Spatial distribution of *Synchytrium endobioticum* in the soil
- 96/191 - Wind dispersal of resting spores of *Synchytrium endobioticum*
- 96/192 - *Synchytrium endobioticum* spores transported by car

Taiwan

- 96/204 - New data on pests and diseases of plant quarantine importance

Tephritidae

- 96/026 - *Bactrocera dorsalis* trapped in California and Florida (US)
- 96/027 - *Anastrepha ludens* trapped in California (US)
- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPCC)
- 96/056 - Quarantine treatment to control *Ceratitis capitata*, *Bactrocera cucurbitae* and *B. dorsalis* in papaya

EPPO Reporting Service

- 96/057 - Quarantine treatment to control Ceratitis capitata, Bactrocera cucurbitae and B. dorsalis in carambola
- 96/063 - Situation of Bactrocera carambolae in Suriname, Guyana and French Guiana
- 96/064 - Eradication of Ceratitis capitata in Chile
- 96/065 - Geographical distribution of Bactrocera cucurbitae and Dacus ciliatus
- 96/066 - Development of traps for Ceratitis capitata and Anastrepha ludens
- 96/067 - EPPO Distribution List of Bactrocera cucurbitae
- 96/068 - EPPO Distribution List for Dacus ciliatus
- 96/069 - EPPO Distribution List for Ceratitis capitata, C. cosyra and C. rosa
- 96/087 - New data on pests of quarantine importance
- 96/092 - Anastrepha species trapped in tropical orchards in Mexico
- 96/115 - Ceratitis capitata trapped in New Zealand
- 96/116 - Bactrocera papayae and B. tryoni trapped in New Zealand
- 96/117 - Gamma irradiation of Bactrocera minax larvae
- 96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes
- 96/125 - New data on pests and diseases of quarantine importance
- 96/154 - Detection of irradiated Ceratitis capitata
- 96/166 - Ceratitis capitata is not present in Suriname
- 96/201 - Additions and deletions to the EPPO A1 and A2 quarantine lists
- 96/204 - New data on pests and diseases of plant quarantine importance
- 96/217 - Studies on traps and attractants for Ceratitis capitata
- 96/218 - Overwintering of Ceratitis capitata in Northern Greece

Thailand

- 96/110 - New records of Liriomyza sativae in Asia and Africa

Thaumetopoea pityocampa

- 96/087 - New data on pests of quarantine importance

Thrips palmi

- 96/038 - Treatments of orchid blossoms against Thrips palmi and Frankliniella occidentalis
- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
- 96/077 - Effects of host plants and temperature on the development of Thrips palmi
- 96/091 - First report of Thrips palmi in Brazil
- 96/140 - Potential of Orius sauteri as a biocontrol agent against Thrips palmi
- 96/193 - Eradication of further outbreaks of Thrips palmi in the Netherlands
- 96/198 - Tospoviruses and thrips
- 96/204 - New data on pests and diseases of plant quarantine importance

Tilletia controversa

- 96/029 - Tilletia controversa is not present in Germany

Tilletia indica

- 96/062 - Tilletia indica in United States
- 96/102 - PCR method to identify Tilletia indica
- 96/127 - Views of the EPPO Working Party on Phytosanitary Regulations on Tilletia indica
- 96/179 - Recommendations of the American Phytopathological Society concerning Tilletia indica
- 96/204 - New data on pests and diseases of plant quarantine importance

Training courses

- 96/019 - Course on nematodes problems in protected crops - control and management

EPPO Reporting Service

Togo

- 96/043 - New data on diseases of quarantine importance
96/065 - Geographical distribution of *Bactrocera cucurbitae* and *Dacus ciliatus*

Tomato black ring nepovirus

- 96/121 - News from the Diagnostic Centre of the Dutch Plant Protection Service

Tomato leaf curl geminivirus

- 96/220 - New strains of potato spindle tuber viroid and Australian tomato leaf curl bigeminivirus from a wild *Solanum* sp. in Australia

Tomato mottle geminivirus

- 96/130 - Tomato mottle geminivirus found in Puerto Rico

Tomato ringspot nepovirus

- 96/013 - PCR detection of tomato ringspot nepovirus
96/043 - New data on diseases of quarantine importance
96/088 - Information of pests and diseases of quarantine importance in Slovakia
96/131 - First report of tomato yellow leaf curl geminivirus and tomato ringspot nepovirus in Pakistan

Tomato spotted wilt tospovirus

- 96/015 - Tomato spotted wilt tospovirus is present in Hungary
96/016 - Tomato spotted wilt tospovirus occurs in Louisiana (US)
96/017 - New hosts plants of tomato spotted wilt tospovirus
96/018 - Detection kit for tomato spotted wilt and impatiens necrotic spot tospoviruses
96/055 - Tomato spotted wilt tospovirus causes a serious disease of chickpea (*Cicer arietinum*) in Brazil
96/082 - Chrysanthemum stem necrosis possibly due to a new tospovirus
96/121 - News from the Diagnostic Centre of the Dutch Plant Protection Service
96/125 - New data on pests and diseases of quarantine importance
96/195 - New and detailed records for Brazil
96/198 - Tospoviruses and thrips

Tomato yellow leaf curl geminivirus

- 96/011 - Molecular studies on tomato yellow leaf curl geminivirus isolates from the Mediterranean region
96/043 - New data on diseases of quarantine importance
96/112 - First report of tomato yellow leaf curl geminivirus and *Bemisia tabaci* in Portugal
96/131 - First report of tomato yellow leaf curl geminivirus and tomato ringspot nepovirus in Pakistan
96/132 - Situation of tomato yellow leaf curl geminivirus in Iran

Tomato yellow mosaic geminivirus

- 96/012 - Studies on resistance to tomato yellow mosaic geminivirus

Toxoptera citricida

- 96/024 - *Toxoptera citricida* found in Florida (US)

Trinidad

- 96/028 - Further spread of *Maconellicoccus hirsutus* in the Caribbean

Tunisia

EPPO Reporting Service

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

Turkey

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

96/143 - New EPPO summary of Phytosanitary Regulations of Turkey

96/206 - First report of Liriomyza huidobrensis in Turkey

Ukraine

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

96/125 - New data on pests and diseases of quarantine importance

96/204 - New data on pests and diseases of plant quarantine importance

Unaspis citri

96/080 - Studies on the biology of Unaspis citri

Unaspis yanonensis

96/138 - Quarantine treatment against Unaspis yanonensis on Satsuma

United Kingdom

96/002 - Situation of Burkholderia (Pseudomonas) solanacearum in the EPPO region

96/041 - Phytophthora disease of common alder

96/114 - Relationships between populations of Pseudomonas syringae pv. persicae from different origins

96/134 - Colletotrichum acutatum on ornamental lupin in United Kingdom

USA

96/016 - Tomato spotted wilt tospovirus occurs in Louisiana (US)

96/024 - Toxoptera citricida found in Florida (US)

96/026 - Bactrocera dorsalis trapped in California and Florida (US)

96/027 - Anastrepha ludens trapped in California (US)

96/046 - First report of citrus tristeza closterovirus in Louisiana (US)

96/062 - Tilletia indica in United States

96/071 - Occurrence of Malacosoma disstria in Pennsylvania (US)

96/072 - Studies on transmission of blue-stain fungi by Ips pini

96/073 - Outbreak of Dendroctonus rufipennis in Alaska (US)

96/087 - New data on pests of quarantine importance

96/099 - Puccinia horiana in North America

96/151 - Beet curly top geminivirus is present on Capsicum annuum in Oregon (US)

96/157 - First report of Heterodera glycines in South Dakota

96/168 - First report of Bursaphelenchus xylophilus in Oregon (US)

96/176 - Peach latent mosaic viroid in commercial peach and nectarine cultivars in USA

96/179 - Recommendations of the American Phytopathological Society concerning Tilletia indica

96/204 - New data on pests and diseases of plant quarantine importance

96/209 - Details on the geographical distribution of beetles of plant quarantine importance in Canada and Alaska

96/214 - Introduction of Anoplophora glabripennis in New York State (US)

Vergilbungskrankheit

96/125 - New data on pests and diseases of quarantine importance

Verticillium albo-atrum

96/088 - Information of pests and diseases of quarantine importance in Slovakia

EPPO Reporting Service

96/125 - New data on pests and diseases of quarantine importance

Verticillium dahliae

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

96/088 - Information of pests and diseases of quarantine importance in Slovakia

Vietnam

96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

Viteus vitifoliae

96/120 - Geographical distribution of Russian A2 quarantine pests in Russia: insects and nematodes

Xanthomonas arboricola pv. *corylina*

96/086 - Name changes for bacteria

Xanthomonas arboricola pv. *pruni*

96/086 - Name changes for bacteria

96/093 - *Xanthomonas arboricola* pv. *pruni* (*X. campestris* pv. *pruni*) found in peach orchards in Lazio (IT)

Xanthomonas axonopodis pv. *citri*

96/043 - New data on diseases of quarantine importance

96/086 - Name changes for bacteria

96/101 - PCR method to identify *Xanthomonas axonopodis* pv. *citri* (*X. campestris* pv. *citri*)

96/204 - New data on pests and diseases of plant quarantine importance

Xanthomonas axonopodis pv. *dieffenbachiae*

96/086 - Name changes for bacteria

Xanthomonas axonopodis pv. *phaseoli*

96/043 - New data on diseases of quarantine importance

96/086 - Name changes for bacteria

96/088 - Information of pests and diseases of quarantine importance in Slovakia

96/125 - New data on pests and diseases of quarantine importance

96/153 - PCR method to detect both *Xanthomonas axonopodis* pv. *phaseoli* and *Pseudomonas syringae* pv. *phaseolicola* in bean seeds

Xanthomonas campestris pv. *corylina* (see *Xanthomonas arboricola* pv. *corylina*)

Xanthomonas campestris pv. *citri* (see *Xanthomonas axonopodis* pv. *citri*)

Xanthomonas campestris pv. *dieffenbachiae* (see *Xanthomonas axonopodis* pv. *dieffenbachiae*)

Xanthomonas campestris pv. *phaseoli* (see *Xanthomonas axonopodis* pv. *phaseoli*)

Xanthomonas campestris pv. *pruni* (see *Xanthomonas arboricola* pv. *pruni*)

EPPO Reporting Service

Xanthomonas campestris pv. translucens (see Xanthomonas translucens pv. translucens)

Xanthomonas campestris pv. vesicatoria (see Xanthomonas vesicatoria)

Xanthomonas fragariae

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)
96/194 - Recent findings of Clavibacter michiganensis subsp. michiganensis, plum pox potyvirus and Xanthomonas fragariae in the Netherlands

Xanthomonas oryzae pv. oryzae

- 96/044 - 19th Session of the Asia and Pacific Plant Protection Commission (APPPC)

Xanthomonas populi

- 96/088 - Information of pests and diseases of quarantine importance in Slovakia

Xanthomonas translucens pv. translucens

- 96/086 - Name changes for bacteria

Xanthomonas vesicatoria

- 96/043 - New data on diseases of quarantine importance
96/086 - Name changes for bacteria
96/088 - Information of pests and diseases of quarantine importance in Slovakia
96/195 - New and detailed records for Brazil

Xylella fastidiosa

- 96/169 - First report of Xylella fastidiosa in coffee
96/196 - Situation of Xylella fastidiosa in Brazil
96/204 - New data on pests and diseases of plant quarantine importance

Yugoslavia

- 96/128 - First report of Alternaria mali in Yugoslavia
96/145 - Erwinia amylovora in ex-Yugoslavia
96/175 - Recent studies on peach latent mosaic viroid

Zimbabwe

- 96/204 - New data on pests and diseases of plant quarantine importance

EPPO Reporting Service

96/226 Directory of Plant Protection Services of EPPO Member Countries

EPPO Secretariat

1 rue le Nôtre
75016 Paris
France

Tel : 33/1 45 20 77 94
Fax : 33/1 42 24 89 43
E-mail : hq @ eppo.fr

France
Tel : 01 45 20 77 94
Fax : 01 42 24 89 43

EPPO Chairman

Dr R. PETZOLD
Bundesministerium für Ernährung
Landwirtschaft und Forsten
Postfach 14 02 70
53107 BONN
Germany

Tel : 49/228 529 3527
Fax : 49/228 529 4406
Telex : 886844

EPPO Member Governments

Albania

Mr I. TARELLI
Plant Protection Bureau
Ministry of Agriculture and Food
TIRANA

Tel : 355/42 293 09
Fax : 355/42 279 24
Telex : -

Austria

Dr H.K. BERGER
Direktor
Bundesamt und Forschungszentrum für
Landwirtschaft
Institut für Phytomedizin
Spargelfeldstrasse 191, P.O. Box 400
A 1226 WIEN

Tel : 43/1 28816 5226
Fax : 43/1 28816 5194/
43/1 28816 2108

Belgium

Monsieur P. DE MEYER
Ministère des Classes moyennes et de
l'Agriculture, Service Qualité et
Protection des Végétaux
Tour WTC/3 - 6e étage
Avenue Simon Bolivar 30
1210 BRUXELLES

Tel : 32/2 208 32 11
Fax : 32/2 208 37 05

EPPO Reporting Service

Bulgaria

Monsieur P. NIKOLOV
Directeur Général du Service National
de la Protection des Végétaux
Ministère de l'Agriculture
Boulevard Botev Hr. 55
1040 SOFIA

Tel : 359/2 981 2734
Fax : 359/2 981 1109
Telex : 22325

Croatia

Ms V. ZLOF
National Institute for
Plant Protection
Svetosimunska 25
41000 ZAGREB

Tel : 385/1 211 842
Fax : 385/1 211 640
Telex : -

Cyprus

Mr J. MELIFRONIDES
Department of Agriculture
Ministry of Agriculture and
Natural Resources
NICOSIA

Tel : 357/2 30 22 54
Fax : 357/2 36 14 25
Telex : 4660

Czech Republic

Mr M. HUSAK
Central Control & Testing Institute for
Agriculture, Plant Protection Administration
Tesnov 17
11705 PRAHA 1

Tel : 42/2 218 126 86
Fax : 42/2 218 128 04
Telex : 121222-121105
- 121041

Denmark

Mr P. REGENBERG
Landbrugsministeriet
Plantedirektoratet
Tilsynsdivisionen
Skovbrynet 20
2800 LYNGBY

Tel : 45/45 96 66 00
Fax : 45/45 96 66 10
Telex : 37281

Estonia

Mr U. SAAMERE
Director, Estonian Plant
Quarantine Inspection
Lai Street 11
TALLINN EE0001

Tel : 372/6 41 11 02
and : 372/6 41 16 20
Fax : 372/6 41 16 18
Telex : -

Finland

Dr J. RAUTAPÄÄ
Plant Production Inspection Centre
Plant Protection Service
Vilhonvuorenkatu 11 C, Box 42
00501 HELSINKI

Tel : 358/913 421 402
Fax : 358/913 421 499
Telex : 121394

EPPO Reporting Service

France

Monsieur A. VERNEDE
Direction Génale de l'Alimentation
Sous Direction de la
Protection des Végétaux
175 rue du Chevaleret
75646 PARIS CEDEX 13

Tel : 33/1 49 55 81 55
Fax : 33/1 49 55 59 49
Telex : 205067

Greece

Dr K. LOUSKAS
Director Plant Protection Service
Ministry of Agriculture
3-5 Ippokratous Str.
101 64 ATHENS

Tel : 30/13 61 53 94
Fax : 30/13 61 71 03
Telex : 221737/-738/-734
216186

Guernsey

Mr N. LEWIS
Chief Executive Officer
Committee for Horticulture
Burnt Lane
St-MARTIN's GY4 6HG

Tel : 44/1 481 35741
Fax : 44/1 481 35015
Telex : 4191592

Hungary

Dr I. FESUS
Deputy Head, Plant Health and
Land Conservation Department
Ministry of Agriculture
Pf. 1 1860
BUDAPEST 55

Tel : 36/1 3323 709
Fax : 36/1 3020 408
36/1 3128 087
Telex : 225445

Ireland

Mr D. FEELEY
Department of Agriculture
Agriculture House
Kildare Street
DUBLIN 2

Tel : 353/1 6789 011
Fax : 353/1 6616 263
Telex : 93607

Israel

Mr E. LANDESHUT
Director, Plant Protection
and Inspection Services
Ministry of Agriculture
P.O.B. 78
50250 BET DAGAN

Tel : 972/3 968 1555
Fax : 972/3 968 1507
Telex : 381472

Italy

Monsieur P. MAINOLFI
Dir. Gen.delle Politiche Agricole ed
Agroindustriali Nazionali, Ministero delle
Risorse Agricole, Alimentari e Forestali
Via XX Settembre
00100 ROME

Tel : 39/6 46655070
Fax : 39/6 4819580
Telex : 610148

EPPO Reporting Service

Jersey

Mr P. BASTION
Department of Agriculture and
Fisheries
Howard Davis Farm
P.O. Box 327
TRINITY

Tel : 44/1 534 866 200
Fax : 44/1 534 866 201
Telex : 4192635

Latvia

Mr G. GALVINSCH
Director
State Plant Protection Station
Ministry of Agriculture
2, Republic Sq.
RIGA, LV - 1981

Tel : 371/7027098
Fax : 371/7027302
Telex : 161142

Luxembourg

Monsieur A. ASCHMAN
Service Protection des Végétaux
Administration des Services
techniques de l'Agriculture
Case postale 1904
Route d'Esch 16
LUXEMBOURG

Tel : 352/45 71 72 218
Fax : 352/45 71 72 340
Telex : -

Morocco

Monsieur A. SALAH BENNANI
Direction de la Protection des
Végétaux, Contrôles Techniques
et Répression des Fraudes
Av. de la Victoire B.P. 1308
RABAT

Tel : 212/777 1547
Fax : 212/777 0049
Telex : 31968

Malta

Mr F. SERRACINO-INGLOTT
Acting Director, Department of
Agriculture and Fisheries
14 M.A. Vassallii Street
VALLETTA

Tel : 356/224 941/2
Fax : 356/235 650
Telex : 1790

Netherlands

Mr H.A. DURINGHOF
Director
Plant Protection Service
Geertjesweg 15
P.O. Box 9102
6700 HC WAGENINGEN

Tel : 31/3174 96600
Fax : 31/3174 21701
Telex : 45163

Norway

Dr K. ARSVOLL
Planteforsk
Head Office
Postbox 100
1430 AS

Tel : 47/64 94 20 60
Fax : 47/64 94 22 29
Telex : -

EPPO Reporting Service

Poland

Mr M.J. NASIADKO
Director
Department of Agricultural Production
Ministerstwo Rolnictwa
Ul. Wspolna 30
00 930 WARSAW

Tel : 48/2623 1000
Fax : 48/2623 2750
Telex : 814597

Portugal

Madame A. FRAZAO
Centro Nacional de Protecção
da Produção Agrícola (CNPPA)
Quinta do Marquês
OEIRAS

Tel : 351/1 443 50 58
Fax : 351/1 442 06 16
Telex : 16732

Romania

Dr Ing. I. VONICA
Laboratoire Central de Quarantaine
Phytosanitaire
Sos. Afumati nr. 11
cod. 72.964
S.A.I. BUCAREST

Tel : 40/1 240 68 90
Fax : 40/1 240 54 45
Telex : -

Russia

Dr J.F. SAVOTIKOV
Chief, Dept of the State
Quarantine Inspection
Ministry of Agriculture
Orlikov per. 1/11
107139 MOSCOW

Tel : 70/95 207 67 75
Fax : 70/95 975 39 71
Telex : 411258

Slovakia

Mr Ing. J. KOTLEBA
Director, Plant Protection Service
Ministry of Agriculture
Dobrovicova 12
812 66 BRATISLAVA

Tel : 42/7 3066 342
Fax : 42/7 3066 352
Telex :

Slovenia

Mrs K. GROZNIK
Ministry of Agriculture, Forestry
and Food, Inspectorate for Agriculture
Forestry, Hunting and Fisheries
Parmova 33
SLO 61000 LJUBLJANA

Tel : 38/6 61 322 197
Fax : 38/6 61 132 3013
Telex : -

Spain

Subdirección General de Sanidad
Vegetal del Ministerio
Agricultura, Pesca
y Alimentación
C/Velazquez, 147 1^a Planta
28002 MADRID

Tel : 34/1 347 82 54
Fax : 34/1 347 82 63
Telex : 46375

EPPO Reporting Service

Sweden

Mr G. KROEKER
Plant Protection Service
Swedish Board of Agriculture
551 82 JÖNKÖPING

Tel : 46/36 15 59 13
Fax : 46/36 12 25 22
Telex : 2401-8355236

Switzerland

Monsieur O. FELIX
Service Certification & Protection
des Végétaux
Office fédéral de l'Agriculture
Mattenhofstrasse 5
3003 BERNE

Tel : 41/31 322 25 86
Fax : 41/31 322 26 34
Telex : 913162

Tunisia

Monsieur le Directeur
Production végétale
Ministère de l'Agriculture
30 rue A. Savary
TUNIS

Tel : 216/1 281 891
Fax : 216/1 797 047
Telex : 13378

Turkey

Dr M. ALKAN
Director General
General Directorate of Protection
and Control, Ministry of Agriculture and
Rural Affairs,
Akay Cad. N°3, Bakanliklar
ANKARA

Tel : 90/312 425 77 89
Fax : 90/312 418 12 62
Telex : 46235

Ukraine

Mr A. MOVCHAN
Head
Plant Quarantine Service
Koloskovaya 7
KIEV 252138

Tel : 380/44 264 77 07
Fax : 380/44 264 89 02
Telex : 380/44 264 99 02

United Kingdom

Mr A.J. PERRINS
Head, Plant Health Division
MAFF, Foss House
Kings Pool
1-2 Peasholme Green
YORK Y01 2 PX

Tel : 44/1904 455161
Fax : 44/1904 455163
Telex :

EPPO Reporting Service

Phytosanitary authorities for the European Union

Direction Générale de l'Agriculture
DG VI B II.1
CE
Rue de la Loi 120
B-1049 BRUXELLES
Belgium

Tel : 32/2 299 11 11
Fax : 32/2 296 59 63
Telex : COMEU B 21877

Direction Générale de l'Agriculture
OICVP/3
(Office Communautaire d'inspections et de
contrôles vétérinaires et phytosanitaires)
COMMISSION EUROPEENNE
200 rue de la Loi
B-1049 BRUXELLES
Belgium

Tel : 32/2 295 97 13
Fax : 32/2 296 47 36
Telex : COMEU B 21877

Potential EPPO Member Governments with which EPPO is already working

Algeria

Dr E.GUENDEZ
Directeur Général
Institut National de la Protection des Végétaux
Ministère de l'Agriculture
B.P. 80
12 av. des Frères Ouadek
Hacen Badi
EL-HARRACH, ALGER

Tel : 213 2/52 30 16
Fax : 213 2/76 62 71
Telex : 64135-
64199 PHYTO DZ

Lithuania

Dr E. MORKEVICIUS
Head of Quarantine Inspection
State Plant Quarantine Inspection
Pelosos 85
2014 VILNIUS

Tel : 370 2 611801
Fax : 370 2 224440
Telex : -